

Environmental Product Declaration

Conform ISO 14025 and EN 15804+A2



Productverklaring

Sunbeam Supra montagesysteem voor
zonnepanelen (plat dak)

Functionele Eenheid

1 stuk montage systeem voor het monteren
van 1 zonnepaneel

Verklaard door:

Sunbeam B.V.

Eigenaar declaratie

Sunbeam B.V.

Verificateur:

Ecochain Technologies B.V.

LCA-studie door:

EcoReview B.V.

Declaratienummer

2024.038.

Datum van publicatie

17/10/2024

Vervaldatum van publicatie

17/10/2029

Algemene Informatie

Eigenaar van Declaratie

Naam	Sunbeam B.V.
Straat	Kryptonweg 8
Postcode	3812 RZ
Stad	Amersfoort
Contact	Luuk Eeftink



Declaratie voor

Declaratienummer	2024.038.
Datum van publicatie	17/10/2024
Vervaldatum van publicatie	17/10/2029
Product	Sunbeam Supra montagesysteem voor zonnepanelen (plat dak).
Functionele eenheid	1 stuk montage systeem voor het monteren van 1 zonnepaneel
Referentielevensduur	20 jaar
Schaalbaar product	Nee
Productomschrijving	Montagesysteem voor het monteren van zonnepanelen op een plat dak

Declaratie Informatie

Deze zelfstandig verklaarde EPD is overeenkomstig met ISO 14025:2006 en EN 15804+A2. Dit certificaat is gebaseerd op een LCA-dossier, overeenkomst met ISO14025:2006, ISO14040 en EN15804+A2 en de NMD Bepalingsmethode 1.1. Een EPD van een constructief product is niet vergelijkbaar, wanneer deze niet is opgesteld conform EN15804+A2 en de Bepalingsmethode 1.1. Zeer zorgwekkende stoffen die opgenomen zijn in de 'Candidate List of Substances of Very High Concern for authorization' zijn opgenomen indien toxische inhoud de gestelde limieten voor ECHA-registratie overschrijdt.

Deze LCA-studie is uitgevoerd door: Stijn Mulder, EcoReview B.V.

Bewijs van Verificatie

Verificateur	Extern
Naam	Lex Roes, Ecochain Technologies B.V.
Verklaring	Verificatie van de declaratie en data is onafhankelijk uitgevoerd volgens EN15804+A2 en NMD Bepalingsmethode 1.1.

Handtekening:



LCA Informatie


LCA standaard	ISO 14040:2006
Product Category Rules (PCR)	EN 15804+A2/NMD Bepalingsmethode 1.1
Aanvullende PCR	Niet van toepassing
Standaard database	Ecoinvent 3.6 + NMD 3.8
LCA-software	SimaPro 9.6.0.1
Jaar van datacollectie	2024

Scope van Declaratie

Productie Fase	A1	X	Winning van grondstoffen
	A2	X	Transport naar producent
	A3	X	Productieprocessen
Bouwfase	A4	X	Transport naar gebruikslocatie
	A4	X	Installatie op gebruikslocatie
Gebruiksfase	B1	X	Gebruik product
	B2	X	Onderhoud
	B3	X	Reparatie
	B4	X	Vervanging van onderdelen
	B5	X	Replacement
	B6	X	Energiegebruik product
	B7	X	Watergebruik product
Einde Levensduurfase	C1	X	Sloop
	C2	X	Transport naar afvalverwerking
	C3	X	Afvalverwerkingsprocessen
	C4	X	Stort
Benefits and loads beyond the system boundaries	D	X	Herwinning van grondstoffen

X = Module toegepast
 MND = Module niet verklaard

Proces Diagram



Gedetailleerde Productbeschrijving

Algemene Productinformatie

Sunbeam verkoopt diverse type montage systemen voor zonnepanelen. De diverse varianten verschillen in toepassing voor platte (Nova, Supra) of schuine (Luna) daken en ook in de oriëntatie van de panelen. In deze EPD zijn 4 typen opgenomen voor platte daken.


Dit zijn de Sunbeam Supra *Universeel* en de Sunbeam Supra *Symmetrisch* in toepassing voor residentieel of klein commercieel gebruik.

Supra	Universeel 1	Universeel 2	Symmetrisch 1	Symmetrisch 2
Oriëntatie	Zuidelijk	Zuidelijk	Oost-West	Oost-West
Componenten	Residentieel	Klein Commercieel	Residentieel	Klein Commercieel
Aantal panelen	12-134	135+	18-161	162+

Tabel: Verschillende varianten Supra systeem.

Afhankelijk van het aantal toegepaste panelen (residentieel of klein commercieel) is er een ander milieuprofiel van toepassing. Dit wordt weergegeven in bovenstaande tabel.

Symmetrisch Systeem



Figuur: Weergave Supra Symmetrisch Systeem.

Resultaten Universeel 1 (Residentieel)

Set 1	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 6,19	€ 0,02	€ 1,10	€ 7,31	€ 0,03	€ 0,23	€ -	€ 0,01	€ 0,11	€ 0,11	€ -2,03	€ 5,78
ECI	euro	6,19E+00	2,16E-02	1,10E+00	7,31E+00	3,38E-02	2,27E-01	0,00E+00	1,27E-02	1,12E-01	1,07E-01	-2,03E+00	5,78E+00
Core Impact Indicators													
ADPE	kg Sb eq	4,02E-02	4,58E-06	7,59E-07	4,02E-02	7,16E-06	1,21E-03	0,00E+00	2,68E-06	2,11E-05	2,16E-06	-5,94E-03	3,55E-02
ADPF	kg Sb eq	2,59E-01	1,32E-03	9,08E-02	3,51E-01	2,06E-03	1,07E-02	0,00E+00	7,72E-04	3,40E-03	7,41E-04	-9,32E-02	2,76E-01
GWP	kg CO2 eq	3,58E+01	1,79E-01	1,22E+01	4,81E+01	2,80E-01	1,53E+00	0,00E+00	1,05E-01	5,89E-01	1,80E+00	-1,51E+01	3,73E+01
ODP	kg CFC-11 eq	2,02E-06	3,18E-08	1,56E-06	3,61E-06	4,97E-08	1,14E-07	0,00E+00	1,86E-08	5,65E-08	5,63E-08	-5,17E-07	3,39E-06
POCP	kg C2H4	4,56E-02	1,08E-04	6,43E-03	5,22E-02	1,69E-04	1,59E-03	0,00E+00	6,34E-05	4,01E-04	6,27E-05	-2,78E-02	2,66E-02
AP	kg SO2 eq	2,82E-01	7,88E-04	4,51E-02	3,28E-01	1,23E-03	1,00E-02	0,00E+00	4,62E-04	3,73E-03	6,37E-04	-5,83E-02	2,85E-01
EP	kg PO4-- eq	4,77E-02	1,55E-04	5,65E-03	5,35E-02	2,42E-04	1,63E-03	0,00E+00	9,07E-05	5,01E-04	1,05E-04	-6,34E-03	4,97E-02
Toxicity Indicators for Dutch Market													
HTP	kg 1,4-DB eq	2,88E+01	7,55E-02	2,20E+00	3,11E+01	1,18E-01	9,61E-01	0,00E+00	4,42E-02	6,38E-01	1,21E-01	-1,05E+01	2,25E+01
FAETP	kg 1,4-DB eq	3,35E-01	2,20E-03	7,34E-02	4,11E-01	3,45E-03	1,30E-02	0,00E+00	1,29E-03	1,02E-02	8,15E-03	6,55E-02	5,12E-01
MAETP	kg 1,4-DB eq	9,50E+02	7,93E+00	2,91E+02	1,25E+03	1,24E+01	3,97E+01	0,00E+00	4,64E+00	3,85E+01	1,97E+01	-7,19E+01	1,29E+03
TETP	kg 1,4-DB eq	7,27E-02	2,67E-04	6,28E-02	1,36E-01	4,17E-04	4,16E-03	0,00E+00	1,56E-04	2,03E-03	2,98E-04	6,34E-01	7,77E-01

ADPE = Abiotic depletion potential for non-fossil resources; **ADPF** = Abiotic depletion potential for fossil resources; **GWP** = Global warming potential; **ODP** = Depletion potential of the stratospheric ozone layer; **POCP** = Formation potential of tropospheric ozone photochemical oxidants; **AP** = Acidification potential of land and water; **EP** = Eutrophication potential; **HTP** = Human toxicity potential; **FAETP** = Freshwater aquatic ecotoxicity potential; **MAETP** = Marine aquatic ecotoxicity potential; **TETP** = Terrestrial ecotoxicity potential; **ECI** = Environmental Costs Indicator; **ADPF** = Abiotic depletion potential for fossil resources

Set 2	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 8,67	€ 0,04	€ 1,85	€ 10,56	€ 0,06	€ 0,33	€ -	€ 0,02	€ 0,13	€ 0,22	€ -2,38	€ 8,94
ECI	euro	8,67E+00	3,69E-02	1,85E+00	1,06E+01	5,78E-02	3,30E-01	0,00E+00	2,16E-02	1,28E-01	2,22E-01	-2,38E+00	8,94E+00
GWP-Total	kg CO2 eq	3,73E+01	1,81E-01	1,24E+01	4,99E+01	2,83E-01	1,58E+00	0,00E+00	1,06E-01	5,78E-01	1,80E+00	-1,59E+01	3,84E+01
GWP-f	kg CO2 eq	3,74E+01	1,81E-01	1,22E+01	4,98E+01	2,83E-01	1,58E+00	0,00E+00	1,06E-01	5,97E-01	1,80E+00	-1,61E+01	3,81E+01
GWP-b	kg CO2 eq	-5,31E-02	8,35E-05	1,44E-01	9,10E-02	1,31E-04	2,17E-03	0,00E+00	4,89E-05	-1,95E-02	6,03E-04	1,48E-01	2,22E-01
GWP-luluc	kg CO2 eq	3,13E-02	6,63E-05	1,72E-02	4,85E-02	1,04E-04	1,48E-03	0,00E+00	3,88E-05	5,15E-04	1,39E-04	-1,70E-03	4,91E-02
ODP	kg CFC11 eq	2,00E-06	3,99E-08	1,55E-06	3,59E-06	6,24E-08	1,14E-07	0,00E+00	2,34E-08	6,60E-08	5,63E-08	-4,24E-07	3,48E-06
AP	mol H+ eq	4,32E-01	1,05E-03	5,37E-02	4,87E-01	1,64E-03	1,48E-02	0,00E+00	6,14E-04	4,67E-03	8,20E-04	-7,06E-02	4,39E-01
EP-fw	kg P eq	1,66E-03	1,82E-06	7,61E-04	2,42E-03	2,85E-06	7,37E-05	0,00E+00	1,07E-06	2,63E-05	5,27E-06	-5,72E-04	1,96E-03
EP-m	kg N eq	4,30E-02	3,70E-04	7,37E-03	5,07E-02	5,78E-04	1,58E-03	0,00E+00	2,16E-04	1,07E-03	2,28E-04	-1,24E-02	4,20E-02
EP-t	mol N eq	1,50E+00	4,07E-03	8,80E-02	1,60E+00	6,37E-03	4,86E-02	0,00E+00	2,39E-03	1,23E-02	2,55E-03	-1,43E-01	1,53E+00
POCP	kg NMVOC eq	1,72E-01	1,16E-03	2,41E-02	1,97E-01	1,82E-03	6,12E-03	0,00E+00	6,81E-04	3,48E-03	6,80E-04	-8,44E-02	1,26E-01
ADP-mm	kg Sb eq	4,02E-02	4,58E-06	7,58E-07	4,02E-02	7,16E-06	1,21E-03	0,00E+00	2,68E-06	2,11E-05	2,16E-06	-5,94E-03	3,55E-02
ADP-f	MJ	4,28E+02	2,73E+00	2,21E+02	6,51E+02	4,26E+00	2,00E+01	0,00E+00	1,60E+00	7,15E+00	1,40E+00	-1,19E+02	5,67E+02
WDP	m3 depriv.	1,13E+01	9,76E-03	1,92E+00	1,32E+01	1,53E-02	4,03E-01	0,00E+00	5,71E-03	9,76E-02	9,00E-02	-2,80E+00	1,10E+01
PM	disease inc.	4,50E-06	1,62E-08	1,86E-07	4,70E-06	2,54E-08	1,44E-07	0,00E+00	9,51E-09	6,23E-08	6,80E-09	-9,92E-07	3,96E-06
IR	kBq U-235 eq	7,97E-01	1,14E-02	1,45E+00	2,25E+00	1,79E-02	6,94E-02	0,00E+00	6,69E-03	3,03E-02	6,04E-03	1,85E-01	2,57E+00
ETP-fw	CTUe	1,35E+03	2,43E+00	1,36E+02	1,49E+03	3,80E+00	4,63E+01	0,00E+00	1,42E+00	2,20E+01	2,82E+01	-5,41E+02	1,05E+03
HTP-c	CTUh	1,57E-07	7,89E-11	4,30E-09	1,61E-07	1,23E-10	4,87E-09	0,00E+00	4,62E-11	7,57E-10	3,36E-10	-6,99E-09	1,60E-07
HTP-nc	CTUh	1,34E-06	2,66E-09	1,31E-07	1,48E-06	4,16E-09	4,55E-08	0,00E+00	1,56E-09	2,61E-08	7,54E-09	2,45E-06	4,01E-06
SQP	Pt	1,06E+02	2,37E+00	4,72E+01	1,55E+02	3,70E+00	5,17E+00	0,00E+00	1,38E+00	1,11E+01	7,59E-01	-2,60E+01	1,51E+02

GWP-total = Climate change; GWP-f = Climate change - Fossil; GWP-b = Climate change - Biogenic; GWP-luluc = Climate change - Land use and LU change; ODP = Ozone depletion; AP = Acidification; EP-fw = Eutrophication, freshwater; EP-m = Eutrophication, marine; EP-T = Eutrophication, terrestrial; POCP = Photochemical ozone formation; ADP-mm = Resource use, minerals and metals; ADP-f = Resource use, fossils; WDP = Water use; PM = Particulate matter; IR = Ionising radiation; ETP-fw = Ecotoxicity, freshwater; HTP-c = Human toxicity, cancer; HTP-nc = Human toxicity, non-cancer; SQP = Land use;

Parameter	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
Resource Use													
PERE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	2,29E+01	3,41E-02	2,88E+01	5,17E+01	5,34E-02	1,58E+00	0,00E+00	2,00E-02	8,28E-01	1,43E-01	-9,74E-01	5,33E+01
PENRE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	4,54E+02	2,90E+00	2,34E+02	6,91E+02	4,53E+00	2,12E+01	0,00E+00	1,70E+00	7,60E+00	1,48E+00	-1,24E+02	6,04E+02
PET	MJ	4,77E+02	2,93E+00	2,63E+02	7,43E+02	4,58E+00	2,28E+01	0,00E+00	1,72E+00	8,42E+00	1,63E+00	-1,25E+02	6,57E+02
SM	kg	3,11E+00	0,00E+00	0,00E+00	3,11E+00	0,00E+00	9,33E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,20E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	3,15E-01	3,32E-04	1,29E-01	4,44E-01	5,19E-04	1,35E-02	0,00E+00	1,95E-04	3,58E-03	2,82E-03	-6,55E-02	3,99E-01
Waste Categories													
HWD	kg	7,66E-03	6,91E-06	6,70E-04	8,34E-03	1,08E-05	2,51E-04	0,00E+00	4,05E-06	1,77E-05	2,61E-06	-1,45E-03	7,17E-03
NHWD	kg	6,87E+00	1,73E-01	5,80E-01	7,62E+00	2,70E-01	2,68E-01	0,00E+00	1,01E-01	2,61E-01	6,65E-01	-1,85E+00	7,34E+00
RWD	kg	7,86E-04	1,79E-05	1,34E-03	2,14E-03	2,80E-05	6,66E-05	0,00E+00	1,05E-05	3,66E-05	5,45E-06	3,35E-05	2,32E-03
Output Flows													
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,71E-01	0,00E+00	0,00E+00	1,24E+01	0,00E+00	0,00E+00	1,27E+01
MER	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-E	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-T	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; PERM = Use of renewable primary energy resources used as raw materials [MJ]; PERT = Total use of renewable primary energy resources [MJ]; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; PENRM = Use of non-renewable primary energy resources used as raw materials [MJ]; PENRT = Total use of non-renewable primary energy resources [MJ]; PET = Total Energy [MJ]; SM = Use of secondary material [kg]; RSF = Use of renewable secondary fuels [MJ]; NRSF = Use of non-renewable secondary fuels [MJ]; FW = Use of net fresh water [m3]; HWD = Hazardous waste disposed [kg]; NHWD = Non-hazardous waste disposed [kg]; RWD = Radioactive waste disposed [kg]; CRU = Components for re-use [kg]; MFR = Materials for recycling [kg]; MER = Materials for energy recovery [kg]; EE = Exported energy [MJ]

Resultaten Universeel 2 (Klein Commercieel)

Set 1	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 5,56	€ 0,02	€ 0,97	€ 6,56	€ 0,03	€ 0,20	€ -	€ 0,01	€ 0,10	€ 0,11	€ -1,83	€ 5,18
ECI	euro	5,56E+00	1,97E-02	9,71E-01	6,56E+00	2,98E-02	2,04E-01	0,00E+00	1,13E-02	1,03E-01	1,07E-01	-1,83E+00	5,18E+00
Core Impact Indicators													
ADPE	kg Sb eq	3,49E-02	4,17E-06	1,77E-06	3,49E-02	6,32E-06	1,05E-03	0,00E+00	2,39E-06	1,89E-05	2,16E-06	-5,16E-03	3,08E-02
ADPF	kg Sb eq	2,32E-01	1,20E-03	8,01E-02	3,13E-01	1,82E-03	9,59E-03	0,00E+00	6,87E-04	3,13E-03	7,32E-04	-8,34E-02	2,46E-01
GWP	kg CO2 eq	3,18E+01	1,63E-01	1,07E+01	4,27E+01	2,47E-01	1,36E+00	0,00E+00	9,34E-02	5,49E-01	1,80E+00	-1,35E+01	3,32E+01
ODP	kg CFC-11 eq	1,77E-06	2,90E-08	1,37E-06	3,17E-06	4,39E-08	1,00E-07	0,00E+00	1,66E-08	5,14E-08	5,60E-08	-4,63E-07	2,98E-06
POCP	kg C2H4	4,01E-02	9,85E-05	5,64E-03	4,58E-02	1,49E-04	1,39E-03	0,00E+00	5,63E-05	3,66E-04	6,19E-05	-2,44E-02	2,35E-02
AP	kg SO2 eq	2,48E-01	7,18E-04	3,98E-02	2,89E-01	1,09E-03	8,83E-03	0,00E+00	4,11E-04	3,33E-03	6,32E-04	-5,28E-02	2,50E-01
EP	kg PO4-- eq	4,17E-02	1,41E-04	4,99E-03	4,68E-02	2,14E-04	1,43E-03	0,00E+00	8,07E-05	4,51E-04	1,04E-04	-5,69E-03	4,34E-02
Toxicity Indicators for Dutch Market													
HTP	kg 1,4-DB eq	2,65E+01	6,87E-02	1,96E+00	2,85E+01	1,04E-01	8,81E-01	0,00E+00	3,93E-02	5,89E-01	1,20E-01	-9,49E+00	2,07E+01
FAETP	kg 1,4-DB eq	2,96E-01	2,01E-03	6,51E-02	3,63E-01	3,04E-03	1,15E-02	0,00E+00	1,15E-03	9,24E-03	7,95E-03	5,44E-02	4,51E-01
MAETP	kg 1,4-DB eq	8,54E+02	7,22E+00	2,57E+02	1,12E+03	1,09E+01	3,56E+01	0,00E+00	4,13E+00	3,46E+01	1,97E+01	-8,11E+01	1,14E+03
TETP	kg 1,4-DB eq	6,53E-02	2,43E-04	5,48E-02	1,20E-01	3,68E-04	3,69E-03	0,00E+00	1,39E-04	1,87E-03	2,96E-04	5,51E-01	6,77E-01

ADPE = Abiotic depletion potential for non-fossil resources; ADPF = Abiotic depletion potential for fossil resources; GWP = Global warming potential; ODP = Depletion potential of the stratospheric ozone layer; POCP = Formation potential of tropospheric ozone photochemical oxidants; AP = Acidification potential of land and water; EP = Eutrophication potential; HTP = Human toxicity potential; FAETP = Freshwater aquatic ecotoxicity potential; MAETP = Marine aquatic ecotoxicity potential; TETP = Terrestrial ecotoxicity potential; ECI = Environmental Costs Indicator; ADPF = Abiotic depletion potential for fossil resources

Set 2	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 7,67	€ 0,03	€ 1,63	€ 9,33	€ 0,05	€ 0,29	€ -	€ 0,02	€ 0,12	€ 0,22	€ -2,14	€ 7,89
ECI	euro	7,67E+00	3,36E-02	1,63E+00	9,33E+00	5,09E-02	2,92E-01	0,00E+00	1,92E-02	1,18E-01	2,22E-01	-2,14E+00	7,89E+00
GWP-Total	kg CO2 eq	3,32E+01	1,65E-01	1,09E+01	4,43E+01	2,49E-01	1,41E+00	0,00E+00	9,42E-02	5,39E-01	1,80E+00	-1,42E+01	3,41E+01
GWP-f	kg CO2 eq	3,32E+01	1,65E-01	1,08E+01	4,42E+01	2,49E-01	1,41E+00	0,00E+00	9,42E-02	5,56E-01	1,80E+00	-1,44E+01	3,39E+01
GWP-b	kg CO2 eq	-4,66E-02	7,60E-05	1,18E-01	7,14E-02	1,15E-04	1,65E-03	0,00E+00	4,35E-05	-1,71E-02	5,68E-04	1,30E-01	1,87E-01
GWP-luluc	kg CO2 eq	2,89E-02	6,03E-05	1,51E-02	4,41E-02	9,13E-05	1,35E-03	0,00E+00	3,45E-05	4,69E-04	1,39E-04	-2,97E-03	4,32E-02
ODP	kg CFC11 eq	1,76E-06	3,63E-08	1,36E-06	3,16E-06	5,50E-08	1,00E-07	0,00E+00	2,08E-08	6,02E-08	5,61E-08	-3,83E-07	3,07E-06
AP	mol H+ eq	3,79E-01	9,55E-04	4,74E-02	4,28E-01	1,45E-03	1,30E-02	0,00E+00	5,46E-04	4,17E-03	8,13E-04	-6,40E-02	3,84E-01
EP-fw	kg P eq	1,46E-03	1,66E-06	6,69E-04	2,13E-03	2,51E-06	6,50E-05	0,00E+00	9,50E-07	2,35E-05	5,26E-06	-5,10E-04	1,72E-03
EP-m	kg N eq	3,80E-02	3,36E-04	6,53E-03	4,49E-02	5,09E-04	1,40E-03	0,00E+00	1,92E-04	9,64E-04	2,26E-04	-1,12E-02	3,70E-02
EP-t	mol N eq	1,31E+00	3,71E-03	7,79E-02	1,40E+00	5,62E-03	4,25E-02	0,00E+00	2,12E-03	1,10E-02	2,52E-03	-1,29E-01	1,33E+00
POCP	kg NMVOC eq	1,52E-01	1,06E-03	2,14E-02	1,74E-01	1,60E-03	5,41E-03	0,00E+00	6,06E-04	3,14E-03	6,72E-04	-7,46E-02	1,11E-01
ADP-mm	kg Sb eq	3,49E-02	4,17E-06	1,77E-06	3,49E-02	6,32E-06	1,05E-03	0,00E+00	2,39E-06	1,89E-05	2,16E-06	-5,16E-03	3,08E-02
ADP-f	MJ	3,84E+02	2,48E+00	1,94E+02	5,81E+02	3,76E+00	1,78E+01	0,00E+00	1,42E+00	6,59E+00	1,38E+00	-1,07E+02	5,05E+02
WDP	m3 depriv.	9,98E+00	8,88E-03	1,72E+00	1,17E+01	1,34E-02	3,57E-01	0,00E+00	5,08E-03	9,19E-02	8,99E-02	-2,47E+00	9,80E+00
PM	disease inc.	3,95E-06	1,48E-08	1,67E-07	4,13E-06	2,24E-08	1,27E-07	0,00E+00	8,46E-09	5,61E-08	6,67E-09	-8,93E-07	3,46E-06
IR	kBq U-235 eq	7,03E-01	1,04E-02	1,27E+00	1,98E+00	1,58E-02	6,11E-02	0,00E+00	5,95E-03	2,74E-02	5,94E-03	1,56E-01	2,25E+00
ETP-fw	CTUe	1,19E+03	2,21E+00	1,21E+02	1,31E+03	3,35E+00	4,09E+01	0,00E+00	1,27E+00	1,96E+01	2,81E+01	-4,81E+02	9,25E+02
HTP-c	CTUh	1,38E-07	7,18E-11	3,79E-09	1,42E-07	1,09E-10	4,28E-09	0,00E+00	4,11E-11	6,98E-10	3,35E-10	-6,64E-09	1,40E-07
HTP-nc	CTUh	1,18E-06	2,42E-09	1,15E-07	1,30E-06	3,67E-09	4,01E-08	0,00E+00	1,39E-09	2,33E-08	7,46E-09	2,12E-06	3,50E-06
SQP	Pt	9,33E+01	2,15E+00	4,22E+01	1,38E+02	3,26E+00	4,58E+00	0,00E+00	1,23E+00	9,95E+00	7,10E-01	-2,32E+01	1,34E+02

GWP-total = Climate change; GWP-f = Climate change - Fossil; GWP-b = Climate change - Biogenic; GWP-luluc = Climate change - Land use and LU change; ODP = Ozone depletion; AP = Acidification; EP-fw = Eutrophication, freshwater; EP-m = Eutrophication, marine; EP-T = Eutrophication, terrestrial; POCP = Photochemical ozone formation; ADP-mm = Resource use, minerals and metals; ADP-f = Resource use, fossils; WDP = Water use; PM = Particulate matter; IR = Ionising radiation; ETP-fw = Ecotoxicity, freshwater; HTP-c = Human toxicity, cancer; HTP-nc = Human toxicity, non-cancer; SQP = Land use;

Parameter	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
Resource Use													
PERE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	2,07E+01	3,11E-02	2,53E+01	4,60E+01	4,71E-02	1,41E+00	0,00E+00	1,78E-02	7,40E-01	1,42E-01	-1,33E+00	4,71E+01
PENRE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	4,07E+02	2,64E+00	2,06E+02	6,16E+02	3,99E+00	1,89E+01	0,00E+00	1,51E+00	7,00E+00	1,46E+00	-1,12E+02	5,38E+02
PET	MJ	4,28E+02	2,67E+00	2,31E+02	6,62E+02	4,04E+00	2,03E+01	0,00E+00	1,53E+00	7,74E+00	1,61E+00	-1,13E+02	5,85E+02
SM	kg	2,75E+00	0,00E+00	0,00E+00	2,75E+00	0,00E+00	8,26E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,84E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	2,79E-01	3,02E-04	1,14E-01	3,94E-01	4,58E-04	1,20E-02	0,00E+00	1,73E-04	3,31E-03	2,79E-03	-5,92E-02	3,53E-01
Waste Categories													
HWD	kg	6,69E-03	6,29E-06	6,42E-04	7,34E-03	9,53E-06	2,21E-04	0,00E+00	3,60E-06	1,60E-05	2,59E-06	-1,25E-03	6,35E-03
NHWD	kg	6,14E+00	1,57E-01	5,17E-01	6,81E+00	2,38E-01	2,39E-01	0,00E+00	9,01E-02	2,45E-01	5,83E-01	-1,68E+00	6,53E+00
RWD	kg	6,95E-04	1,63E-05	1,17E-03	1,88E-03	2,47E-05	5,86E-05	0,00E+00	9,33E-06	3,33E-05	5,31E-06	2,32E-05	2,03E-03
Output Flows													
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,24E-01	0,00E+00	0,00E+00	1,08E+01	0,00E+00	0,00E+00	1,11E+01
MER	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-E	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-T	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; PERM = Use of renewable primary energy resources used as raw materials [MJ]; PERT = Total use of renewable primary energy resources [MJ]; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; PENRM = Use of non-renewable primary energy resources used as raw materials [MJ]; PENRT = Total use of non-renewable primary energy resources [MJ]; PET = Total Energy [MJ]; SM = Use of secondary material [kg]; RSF = Use of renewable secondary fuels [MJ]; NRSF = Use of non-renewable secondary fuels [MJ]; FW = Use of net fresh water [m3]; HWD = Hazardous waste disposed [kg]; NHWD = Non-hazardous waste disposed [kg]; RWD = Radioactive waste disposed [kg]; CRU = Components for re-use [kg]; MFR = Materials for recycling [kg]; MER = Materials for energy recovery [kg]; EE = Exported energy [MJ]

Resultaten Symmetrisch 1 (Residentieel)

Set 1	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 4,20	€ 0,02	€ 0,73	€ 4,94	€ 0,02	€ 0,15	€ -	€ 0,01	€ 0,09	€ 0,11	€ -1,35	€ 3,97
ECI	euro	4,20E+00	1,57E-02	7,25E-01	4,94E+00	2,18E-02	1,55E-01	0,00E+00	8,56E-03	8,56E-02	1,07E-01	-1,35E+00	3,97E+00
Core Impact Indicators													
ADPE	kg Sb eq	2,49E-02	3,33E-06	3,37E-06	2,49E-02	4,61E-06	7,48E-04	0,00E+00	1,82E-06	1,45E-05	2,14E-06	-3,69E-03	2,20E-02
ADPF	kg Sb eq	1,76E-01	9,59E-04	5,97E-02	2,36E-01	1,33E-03	7,24E-03	0,00E+00	5,23E-04	2,62E-03	7,14E-04	-6,11E-02	1,88E-01
GWP	kg CO2 eq	2,36E+01	1,30E-01	7,96E+00	3,17E+01	1,81E-01	1,03E+00	0,00E+00	7,11E-02	4,71E-01	1,80E+00	-9,89E+00	2,53E+01
ODP	kg CFC-11 eq	1,29E-06	2,31E-08	1,01E-06	2,32E-06	3,20E-08	7,38E-08	0,00E+00	1,26E-08	4,17E-08	5,56E-08	-3,39E-07	2,20E-06
POCP	kg C2H4	2,92E-02	7,87E-05	4,15E-03	3,34E-02	1,09E-04	1,02E-03	0,00E+00	4,29E-05	2,97E-04	6,05E-05	-1,75E-02	1,74E-02
AP	kg SO2 eq	1,81E-01	5,74E-04	2,96E-02	2,11E-01	7,94E-04	6,47E-03	0,00E+00	3,12E-04	2,57E-03	6,23E-04	-3,91E-02	1,83E-01
EP	kg PO4-- eq	3,01E-02	1,13E-04	3,71E-03	3,40E-02	1,56E-04	1,04E-03	0,00E+00	6,14E-05	3,54E-04	1,02E-04	-4,18E-03	3,15E-02
Toxicity Indicators for Dutch Market													
HTP	kg 1,4-DB eq	2,06E+01	5,49E-02	1,49E+00	2,22E+01	7,60E-02	6,87E-01	0,00E+00	2,99E-02	4,95E-01	1,19E-01	-7,01E+00	1,66E+01
FAETP	kg 1,4-DB eq	2,17E-01	1,60E-03	4,90E-02	2,68E-01	2,22E-03	8,58E-03	0,00E+00	8,73E-04	7,49E-03	7,56E-03	3,76E-02	3,32E-01
MAETP	kg 1,4-DB eq	6,35E+02	5,77E+00	1,94E+02	8,35E+02	7,98E+00	2,68E+01	0,00E+00	3,14E+00	2,70E+01	1,96E+01	-6,84E+01	8,50E+02
TETP	kg 1,4-DB eq	4,91E-02	1,94E-04	3,97E-02	8,90E-02	2,69E-04	2,74E-03	0,00E+00	1,06E-04	1,58E-03	2,93E-04	3,94E-01	4,88E-01

ADPE = Abiotic depletion potential for non-fossil resources; **ADPF** = Abiotic depletion potential for fossil resources; **GWP** = Global warming potential; **ODP** = Depletion potential of the stratospheric ozone layer; **POCP** = Formation potential of tropospheric ozone photochemical oxidants; **AP** = Acidification potential of land and water; **EP** = Eutrophication potential; **HTP** = Human toxicity potential; **FAETP** = Freshwater aquatic ecotoxicity potential; **MAETP** = Marine aquatic ecotoxicity potential; **TETP** = Terrestrial ecotoxicity potential; **ECI** = Environmental Costs Indicator; **ADPF** = Abiotic depletion potential for fossil resources

Set 2	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 5,63	€ 0,03	€ 1,21	€ 6,87	€ 0,04	€ 0,22	€ -	€ 0,01	€ 0,10	€ 0,22	€ -1,58	€ 5,88
ECI	euro	5,63E+00	2,69E-02	1,21E+00	6,87E+00	3,72E-02	2,17E-01	0,00E+00	1,46E-02	9,74E-02	2,21E-01	-1,58E+00	5,88E+00
GWP-Total	kg CO2 eq	2,46E+01	1,32E-01	8,09E+00	3,28E+01	1,82E-01	1,06E+00	0,00E+00	7,17E-02	4,65E-01	1,80E+00	-1,04E+01	2,60E+01
GWP-f	kg CO2 eq	2,46E+01	1,32E-01	8,01E+00	3,28E+01	1,82E-01	1,06E+00	0,00E+00	7,17E-02	4,78E-01	1,80E+00	-1,05E+01	2,59E+01
GWP-b	kg CO2 eq	-3,24E-02	6,07E-05	7,05E-02	3,82E-02	8,41E-05	7,86E-04	0,00E+00	3,31E-05	-1,26E-02	5,03E-04	9,40E-02	1,21E-01
GWP-luluc	kg CO2 eq	2,18E-02	4,82E-05	1,13E-02	3,31E-02	6,67E-05	1,01E-03	0,00E+00	2,63E-05	3,82E-04	1,39E-04	-2,95E-03	3,18E-02
ODP	kg CFC11 eq	1,28E-06	2,90E-08	1,00E-06	2,31E-06	4,02E-08	7,42E-08	0,00E+00	1,58E-08	4,89E-08	5,55E-08	-2,83E-07	2,27E-06
AP	mol H+ eq	2,75E-01	7,63E-04	3,53E-02	3,11E-01	1,06E-03	9,51E-03	0,00E+00	4,16E-04	3,22E-03	8,00E-04	-4,73E-02	2,79E-01
EP-fw	kg P eq	1,07E-03	1,33E-06	4,94E-04	1,56E-03	1,84E-06	4,77E-05	0,00E+00	7,23E-07	1,81E-05	5,24E-06	-3,73E-04	1,26E-03
EP-m	kg N eq	2,79E-02	2,69E-04	4,90E-03	3,31E-02	3,72E-04	1,04E-03	0,00E+00	1,46E-04	7,54E-04	2,21E-04	-8,22E-03	2,74E-02
EP-t	mol N eq	9,46E-01	2,96E-03	5,84E-02	1,01E+00	4,10E-03	3,07E-02	0,00E+00	1,61E-03	8,61E-03	2,47E-03	-9,47E-02	9,61E-01
POCP	kg NMVOC eq	1,12E-01	8,46E-04	1,61E-02	1,29E-01	1,17E-03	4,00E-03	0,00E+00	4,61E-04	2,47E-03	6,57E-04	-5,42E-02	8,32E-02
ADP-mm	kg Sb eq	2,49E-02	3,33E-06	3,37E-06	2,49E-02	4,61E-06	7,48E-04	0,00E+00	1,82E-06	1,45E-05	2,14E-06	-3,69E-03	2,20E-02
ADP-f	MJ	2,93E+02	1,98E+00	1,44E+02	4,39E+02	2,75E+00	1,35E+01	0,00E+00	1,08E+00	5,50E+00	1,34E+00	-7,87E+01	3,85E+02
WDP	m3 depriv.	7,42E+00	7,10E-03	1,33E+00	8,75E+00	9,83E-03	2,68E-01	0,00E+00	3,87E-03	8,10E-02	8,97E-02	-1,79E+00	7,42E+00
PM	disease inc.	2,87E-06	1,18E-08	1,29E-07	3,01E-06	1,64E-08	9,25E-08	0,00E+00	6,43E-09	4,42E-08	6,41E-09	-6,57E-07	2,52E-06
IR	kBq U-235 eq	5,15E-01	8,31E-03	9,25E-01	1,45E+00	1,15E-02	4,48E-02	0,00E+00	4,53E-03	2,20E-02	5,75E-03	1,09E-01	1,65E+00
ETP-fw	CTUe	8,64E+02	1,77E+00	9,17E+01	9,58E+02	2,45E+00	3,01E+01	0,00E+00	9,64E-01	1,49E+01	2,69E+01	-3,50E+02	6,83E+02
HTP-c	CTUh	1,00E-07	5,74E-11	2,81E-09	1,03E-07	7,95E-11	3,12E-09	0,00E+00	3,13E-11	5,84E-10	3,33E-10	-5,06E-09	1,02E-07
HTP-nc	CTUh	8,58E-07	1,93E-09	8,50E-08	9,45E-07	2,68E-09	2,92E-08	0,00E+00	1,05E-09	1,79E-08	7,32E-09	1,51E-06	2,52E-06
SQP	Pt	6,83E+01	1,72E+00	3,23E+01	1,02E+02	2,38E+00	3,42E+00	0,00E+00	9,37E-01	7,77E+00	6,17E-01	-1,70E+01	1,00E+02

GWP-total = Climate change; GWP-f = Climate change - Fossil; GWP-b = Climate change - Biogenic; GWP-luluc = Climate change - Land use and LU change; ODP = Ozone depletion; AP = Acidification; EP-fw = Eutrophication, freshwater; EP-m = Eutrophication, marine; EP-T = Eutrophication, terrestrial; POCP = Photochemical ozone formation; ADP-mm = Resource use, minerals and metals; ADP-f = Resource use, fossils; WDP = Water use; PM = Particulate matter; IR = Ionising radiation; ETP-fw = Ecotoxicity, freshwater; HTP-c = Human toxicity, cancer; HTP-nc = Human toxicity, non-cancer; SQP = Land use;

Parameter	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
Resource Use													
PERE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,55E+01	2,48E-02	1,87E+01	3,43E+01	3,44E-02	1,05E+00	0,00E+00	1,35E-02	5,69E-01	1,40E-01	-1,22E+00	3,48E+01
PENRE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	3,12E+02	2,11E+00	1,52E+02	4,66E+02	2,92E+00	1,43E+01	0,00E+00	1,15E+00	5,84E+00	1,42E+00	-8,21E+01	4,10E+02
PET	MJ	3,27E+02	2,13E+00	1,71E+02	5,01E+02	2,95E+00	1,54E+01	0,00E+00	1,16E+00	6,41E+00	1,56E+00	-8,34E+01	4,45E+02
SM	kg	1,75E+00	0,00E+00	0,00E+00	1,75E+00	0,00E+00	5,26E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,81E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	2,07E-01	2,42E-04	8,47E-02	2,92E-01	3,35E-04	8,94E-03	0,00E+00	1,32E-04	2,79E-03	2,75E-03	-4,37E-02	2,63E-01
Waste Categories													
HWD	kg	4,81E-03	5,03E-06	5,00E-04	5,31E-03	6,96E-06	1,60E-04	0,00E+00	2,74E-06	1,27E-05	2,54E-06	-8,84E-04	4,61E-03
NHWD	kg	4,56E+00	1,26E-01	3,92E-01	5,08E+00	1,74E-01	1,79E-01	0,00E+00	6,86E-02	2,13E-01	4,25E-01	-1,24E+00	4,90E+00
RWD	kg	5,09E-04	1,30E-05	8,53E-04	1,38E-03	1,80E-05	4,30E-05	0,00E+00	7,10E-06	2,68E-05	5,06E-06	1,33E-05	1,49E-03
Output Flows													
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,33E-01	0,00E+00	0,00E+00	7,78E+00	0,00E+00	0,00E+00	8,01E+00
MER	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-E	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-T	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; PERM = Use of renewable primary energy resources used as raw materials [MJ]; PERT = Total use of renewable primary energy resources [MJ]; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; PENRM = Use of non-renewable primary energy resources used as raw materials [MJ]; PENRT = Total use of non-renewable primary energy resources [MJ]; PET = Total Energy [MJ]; SM = Use of secondary material [kg]; RSF = Use of renewable secondary fuels [MJ]; NRSF = Use of non-renewable secondary fuels [MJ]; FW = Use of net fresh water [m3]; HWD = Hazardous waste disposed [kg]; NHWD = Non-hazardous waste disposed [kg]; RWD = Radioactive waste disposed [kg]; CRU = Components for re-use [kg]; MFR = Materials for recycling [kg]; MER = Materials for energy recovery [kg]; EE = Exported energy [MJ]

Resultaten Symmetrisch 2 (Klein Commercieel)

Set 1	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 3,85	€ 0,01	€ 0,65	€ 4,52	€ 0,02	€ 0,14	€ -	€ 0,01	€ 0,08	€ 0,11	€ -1,24	€ 3,64
ECI	euro	3,85E+00	1,47E-02	6,55E-01	4,52E+00	1,96E-02	1,42E-01	0,00E+00	7,80E-03	8,07E-02	1,06E-01	-1,24E+00	3,64E+00
Core Impact Indicators													
ADPE	kg Sb eq	2,20E-02	3,11E-06	3,93E-06	2,20E-02	4,15E-06	6,60E-04	0,00E+00	1,65E-06	1,33E-05	2,14E-06	-3,26E-03	1,94E-02
ADPF	kg Sb eq	1,61E-01	8,94E-04	5,39E-02	2,15E-01	1,19E-03	6,60E-03	0,00E+00	4,76E-04	2,48E-03	7,09E-04	-5,57E-02	1,71E-01
GWP	kg CO2 eq	2,14E+01	1,22E-01	7,17E+00	2,87E+01	1,62E-01	9,35E-01	0,00E+00	6,47E-02	4,49E-01	1,80E+00	-9,02E+00	2,31E+01
ODP	kg CFC-11 eq	1,16E-06	2,16E-08	9,01E-07	2,08E-06	2,88E-08	6,64E-08	0,00E+00	1,15E-08	3,90E-08	5,55E-08	-3,09E-07	1,97E-06
POCP	kg C2H4	2,61E-02	7,34E-05	3,72E-03	2,99E-02	9,80E-05	9,12E-04	0,00E+00	3,90E-05	2,78E-04	6,01E-05	-1,56E-02	1,57E-02
AP	kg SO2 eq	1,63E-01	5,35E-04	2,67E-02	1,90E-01	7,14E-04	5,82E-03	0,00E+00	2,84E-04	2,35E-03	6,20E-04	-3,61E-02	1,64E-01
EP	kg PO4-- eq	2,69E-02	1,05E-04	3,35E-03	3,03E-02	1,40E-04	9,29E-04	0,00E+00	5,59E-05	3,26E-04	1,02E-04	-3,82E-03	2,81E-02
Toxicity Indicators for Dutch Market													
HTP	kg 1,4-DB eq	1,93E+01	5,12E-02	1,36E+00	2,07E+01	6,84E-02	6,43E-01	0,00E+00	2,72E-02	4,68E-01	1,19E-01	-6,46E+00	1,56E+01
FAETP	kg 1,4-DB eq	1,96E-01	1,49E-03	4,44E-02	2,42E-01	2,00E-03	7,77E-03	0,00E+00	7,95E-04	6,99E-03	7,45E-03	3,14E-02	2,98E-01
MAETP	kg 1,4-DB eq	5,82E+02	5,38E+00	1,75E+02	7,63E+02	7,18E+00	2,45E+01	0,00E+00	2,86E+00	2,48E+01	1,95E+01	-7,35E+01	7,69E+02
TETP	kg 1,4-DB eq	4,50E-02	1,81E-04	3,54E-02	8,06E-02	2,42E-04	2,48E-03	0,00E+00	9,62E-05	1,50E-03	2,92E-04	3,48E-01	4,34E-01

ADPE = Abiotic depletion potential for non-fossil resources; ADPF = Abiotic depletion potential for fossil resources; GWP = Global warming potential; ODP = Depletion potential of the stratospheric ozone layer; POCP = Formation potential of tropospheric ozone photochemical oxidants; AP = Acidification potential of land and water; EP = Eutrophication potential; HTP = Human toxicity potential; FAETP = Freshwater aquatic ecotoxicity potential; MAETP = Marine aquatic ecotoxicity potential; TETP = Terrestrial ecotoxicity potential; ECI = Environmental Costs Indicator; ADPF = Abiotic depletion potential for fossil resources

Set 2	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
ECI	euro	€ 5,08	€ 0,03	€ 1,09	€ 6,20	€ 0,03	€ 0,20	€ -	€ 0,01	€ 0,09	€ 0,22	€ -1,44	€ 5,31
ECI	euro	5,08E+00	2,51E-02	1,09E+00	6,20E+00	3,35E-02	1,97E-01	0,00E+00	1,33E-02	9,16E-02	2,21E-01	-1,44E+00	5,31E+00
GWP-Total	kg CO2 eq	2,23E+01	1,23E-01	7,28E+00	2,97E+01	1,64E-01	9,66E-01	0,00E+00	6,53E-02	4,44E-01	1,80E+00	-9,49E+00	2,37E+01
GWP-f	kg CO2 eq	2,23E+01	1,23E-01	7,22E+00	2,97E+01	1,64E-01	9,65E-01	0,00E+00	6,52E-02	4,55E-01	1,80E+00	-9,57E+00	2,36E+01
GWP-b	kg CO2 eq	-2,88E-02	5,66E-05	5,62E-02	2,74E-02	7,56E-05	5,01E-04	0,00E+00	3,01E-05	-1,13E-02	4,84E-04	8,42E-02	1,01E-01
GWP-luluc	kg CO2 eq	2,05E-02	4,49E-05	1,01E-02	3,07E-02	6,00E-05	9,39E-04	0,00E+00	2,39E-05	3,57E-04	1,39E-04	-3,65E-03	2,86E-02
ODP	kg CFC11 eq	1,15E-06	2,71E-08	8,96E-07	2,08E-06	3,61E-08	6,69E-08	0,00E+00	1,44E-08	4,57E-08	5,54E-08	-2,60E-07	2,04E-06
AP	mol H+ eq	2,46E-01	7,11E-04	3,19E-02	2,79E-01	9,50E-04	8,52E-03	0,00E+00	3,78E-04	2,95E-03	7,97E-04	-4,36E-02	2,49E-01
EP-fw	kg P eq	9,60E-04	1,24E-06	4,44E-04	1,40E-03	1,65E-06	4,29E-05	0,00E+00	6,58E-07	1,66E-05	5,23E-06	-3,39E-04	1,13E-03
EP-m	kg N eq	2,52E-02	2,51E-04	4,44E-03	2,99E-02	3,35E-04	9,39E-04	0,00E+00	1,33E-04	6,95E-04	2,20E-04	-7,54E-03	2,47E-02
EP-t	mol N eq	8,42E-01	2,76E-03	5,28E-02	8,97E-01	3,69E-03	2,74E-02	0,00E+00	1,47E-03	7,92E-03	2,45E-03	-8,67E-02	8,53E-01
POCP	kg NMVOC eq	1,01E-01	7,89E-04	1,46E-02	1,16E-01	1,05E-03	3,61E-03	0,00E+00	4,20E-04	2,28E-03	6,53E-04	-4,88E-02	7,52E-02
ADP-mm	kg Sb eq	2,20E-02	3,11E-06	3,93E-06	2,20E-02	4,15E-06	6,60E-04	0,00E+00	1,65E-06	1,33E-05	2,14E-06	-3,26E-03	1,94E-02
ADP-f	MJ	2,69E+02	1,85E+00	1,29E+02	4,00E+02	2,47E+00	1,23E+01	0,00E+00	9,84E-01	5,19E+00	1,33E+00	-7,22E+01	3,50E+02
WDP	m3 depriv.	6,70E+00	6,62E-03	1,22E+00	7,93E+00	8,83E-03	2,43E-01	0,00E+00	3,52E-03	7,78E-02	8,96E-02	-1,61E+00	6,74E+00
PM	disease inc.	2,57E-06	1,10E-08	1,19E-07	2,70E-06	1,47E-08	8,30E-08	0,00E+00	5,86E-09	4,08E-08	6,34E-09	-6,02E-07	2,25E-06
IR	kBq U-235 eq	4,63E-01	7,75E-03	8,27E-01	1,30E+00	1,03E-02	4,02E-02	0,00E+00	4,12E-03	2,05E-02	5,70E-03	9,23E-02	1,47E+00
ETP-fw	CTUe	7,75E+02	1,65E+00	8,34E+01	8,60E+02	2,20E+00	2,71E+01	0,00E+00	8,77E-01	1,36E+01	2,68E+01	-3,17E+02	6,14E+02
HTP-c	CTUh	8,97E-08	5,35E-11	2,53E-09	9,23E-08	7,15E-11	2,80E-09	0,00E+00	2,85E-11	5,51E-10	3,33E-10	-4,87E-09	9,12E-08
HTP-nc	CTUh	7,70E-07	1,80E-09	7,64E-08	8,48E-07	2,41E-09	2,62E-08	0,00E+00	9,59E-10	1,63E-08	7,27E-09	1,33E-06	2,23E-06
SQP	Pt	6,14E+01	1,60E+00	2,96E+01	9,26E+01	2,14E+00	3,10E+00	0,00E+00	8,53E-01	7,14E+00	5,90E-01	-1,55E+01	9,10E+01

GWP-total = Climate change; GWP-f = Climate change - Fossil; GWP-b = Climate change - Biogenic; GWP-luluc = Climate change - Land use and LU change; ODP = Ozone depletion; AP = Acidification; EP-fw = Eutrophication, freshwater; EP-m = Eutrophication, marine; EP-T = Eutrophication, terrestrial; POCP = Photochemical ozone formation; ADP-mm = Resource use, minerals and metals; ADP-f = Resource use, fossils; WDP = Water use; PM = Particulate matter; IR = Ionising radiation; ETP-fw = Ecotoxicity, freshwater; HTP-c = Human toxicity, cancer; HTP-nc = Human toxicity, non-cancer; SQP = Land use;

Parameter	Unit	A1	A2	A3	A1-A3	A4	A5	C1	C2	C3	C4	D	A1-D
Resource Use													
PERE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,43E+01	2,32E-02	1,69E+01	3,12E+01	3,09E-02	9,56E-01	0,00E+00	1,23E-02	5,21E-01	1,39E-01	-1,41E+00	3,14E+01
PENRE	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	2,86E+02	1,96E+00	1,37E+02	4,25E+02	2,62E+00	1,31E+01	0,00E+00	1,04E+00	5,51E+00	1,41E+00	-7,54E+01	3,73E+02
PET	MJ	3,00E+02	1,99E+00	1,54E+02	4,56E+02	2,65E+00	1,40E+01	0,00E+00	1,06E+00	6,04E+00	1,55E+00	-7,68E+01	4,05E+02
SM	kg	1,56E+00	0,00E+00	0,00E+00	1,56E+00	0,00E+00	4,68E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,61E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m3	1,87E-01	2,25E-04	7,65E-02	2,64E-01	3,01E-04	8,10E-03	0,00E+00	1,20E-04	2,64E-03	2,73E-03	-4,03E-02	2,38E-01
Waste Categories													
HWD	kg	4,27E-03	4,69E-06	4,84E-04	4,76E-03	6,26E-06	1,44E-04	0,00E+00	2,49E-06	1,17E-05	2,53E-06	-7,71E-04	4,16E-03
NHWD	kg	4,16E+00	1,17E-01	3,57E-01	4,63E+00	1,57E-01	1,63E-01	0,00E+00	6,24E-02	2,04E-01	3,79E-01	-1,15E+00	4,45E+00
RWD	kg	4,58E-04	1,21E-05	7,62E-04	1,23E-03	1,62E-05	3,86E-05	0,00E+00	6,46E-06	2,50E-05	4,99E-06	7,57E-06	1,33E-03
Output Flows													
CRU	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,07E-01	0,00E+00	0,00E+00	6,91E+00	0,00E+00	0,00E+00	7,12E+00
MER	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-E	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
EE-T	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; PERM = Use of renewable primary energy resources used as raw materials [MJ]; PERT = Total use of renewable primary energy resources [MJ]; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; PENRM = Use of non-renewable primary energy resources used as raw materials [MJ]; PENRT = Total use of non-renewable primary energy resources [MJ]; PET = Total Energy [MJ]; SM = Use of secondary material [kg]; RSF = Use of renewable secondary fuels [MJ]; NRSF = Use of non-renewable secondary fuels [MJ]; FW = Use of net fresh water [m3]; HWD = Hazardous waste disposed [kg]; NHWD = Non-hazardous waste disposed [kg]; RWD = Radioactive waste disposed [kg]; CRU = Components for re-use [kg]; MFR = Materials for recycling [kg]; MER = Materials for energy recovery [kg]; EE = Exported energy [MJ]

Referenties

CML - Department of Industrial Ecology, CML-IA Characterisation Factors, Dated August 2016, Leiden University, Leiden, Netherlands Available at: <https://www.universiteitleiden.nl/en/research/research-output/science/cml-ia-characterisation-factors>.

PRé Sustainability - Simapro 9.6.0.1

EN 15804: Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products', I.S. EN 15804:2012+A1:2013 and EN 15804:2019+A2.

ISO 14040: Environmental management - Life cycle assessment – Principles and Framework', International Organization for Standardization, ISO14040:2006.

ISO 14044: Environmental management - Life cycle assessment - Requirements and guidelines', International Organization for Standardization, ISO14044:2006.

ISO 14025: Environmental labels and declarations – Type III environmental declarations – Principles and procedures', International Organization for Standardization, ISO14025:2006.

NMD Bepalingsmethode Milieuprestatie Bouwwerken version 1.1 (maart 2022) - <https://milieudatabase.nl/nl/milieuprestatie/bepalingsmethode/>